

# FIRE PRODUCTS

STREAMLIGHT  
50 YEAR  
ANNIVERSARY  
SINCE 1973



STREAMLIGHT®





# STREAMLIGHT LIGHTING THE WAY FOR 50 YEARS

1973

**1973** Streamlight founded by engineers who created solar simulators for NASA.

**1975** Rechargeable halogen lamp flashlight introduced by Streamlight.

**1980** LiteBox® lantern invented by Streamlight.

**MID 1980's** Variety of miniature flashlights introduced.

**1989** Streamlight introduces the Survivor® line. Still the world's #1 right-angle rechargeable flashlight.

**1994** Stinger® series introduced – becomes the standard duty light for law enforcement. Streamlight creates the Scorpion®, lithium-powered, lightweight flashlight with rubber grip.

**1998 1999** Vulcan®, Stylus® and ProPolymer® series debut.

**2000** Streamlight builds state-of-the-art manufacturing facility/ corporate headquarters in Eagleville, PA.

**2001** Streamlight leads the market with innovative LED lighting products.

**2003** Streamlight combines LED and Xenon lights in patented Twin-Task® series. New Tactical line premieres featuring Super High Flux LEDs. Fire Vulcan aids firefighter safety as the first lantern with LED tail lights.

**2004** Streamlight introduces Strion®, the world's first ultra-compact rechargeable. At just 4.6 oz., it shines as bright as lights 5 times its size.





**2005** FireBox® is introduced with bright blue LED tail lights that help firefighters be seen in heavy smoke.

**2007**

Dual-switch Stinger DS® debuts. Streamlight creates a million candela (Peak Beam Intensity) lantern – the HID LiteBox®, with a beam that reaches 1.5 miles. The Sidewinder® debuts as the most versatile military light, with multiple LEDs and varying brightness levels for each.

**2009**

Streamlight introduces the Strion® LED, creating the first lithium ion rechargeable gun-mounted and hand-held tactical light. The new PolyStinger® LED becomes our first rechargeable polymer body LED flashlight.

**2017**

The Vulcan® 180 is launched. Designed to burn brighter and run longer, it is an essential fire fighting and utility tool. This rechargeable, waterproof lantern/scene light has a 180° tilting head to direct the light where needed.

**2006**

Streamlight introduces our first aluminum gun-mounted lights, TLR-1® & TLR-2®, LED versions of the Stinger® and Survivor® are created.

**2008**

C4® LED technology introduced to multiply the brightness of LEDs up to three times. Streamlight expands headquarters and manufacturing facilities with 75,000-ft. addition.

**2014**

Streamlight introduces the Portable Scene Light with a 72" extension pole designed to rapidly deploy and easily stow.

**2016**

Streamlight launches MULTI-FUEL technology that allows the user to swap standard lithium batteries with our SL-B26 USB rechargeable battery pack to turn their ProTac® 2L-X and ProTac® HL-X into rechargeable lighting systems.

**2020**

The Stinger® 2020 is the next evolution in high-performance flashlights - produces 2,000 lumens. Its anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use.

**2023**



# WHY STREAMLIGHT.

## IT COMES DOWN TO PERFORMANCE. PERIOD.

People who depend on their flashlights – often for their lives – count on them to perform every time. The conditions don't matter, whether in the freezing cold, scorching heat, desert dry conditions or rainforest humidity. Some flashlights may have even been abused, dropped in water, or left in icy snow – no matter what, Streamlight products stand up to the worst conditions.

Streamlight users know that our lighting tools deliver the best performance for any task at hand. Whether it's lighting up a whole room or long range lighting, scene lighting or task lighting or even specialized lighting such as Infra-Red or Ultraviolet illumination, Streamlight has the right tool for the job. And when size and run time are essential, we offer several products that shine brighter and last longer.

## BEHIND THE PERFORMANCE

A lot goes into bringing you lights that deliver this kind of performance. It begins with YOU. We listen to our customers and learn what they need. Understanding how lights are used in different situations leads to innovative designs and game-changing technologies. After we've met the challenges involved with designing and engineering a light, we put it through the most demanding industry tests to ensure the highest levels of performance and dependability.

All types of people depend on our products to perform, to increase productivity and to save lives. Whether you're in combat, serving and protecting the community, fighting fires, involved in search and rescue, working on utilities, camping, plumbing, auto repair or just lighting your home in a power failure, you can trust Streamlight.







# CONTINUOUS INNOVATION & NEW PRODUCTS

## IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions. The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.



VULCAN CLUTCH®  
pg. 9



E-FLOOD® LITEBOX® /  
FIREBOX® pg. 16



E-SPOT® LITEBOX® /  
FIREBOX® pg. 16



FIRE VULCAN® LED  
pg. 17

NEW



SURVIVOR® X  
pg. 20

NEW



SURVIVOR® X USB  
pg. 21



WAYPOINT®  
pg. 23



POLYTAC® HELMET  
LIGHTING KIT pg. 30



4AA PROPOLYMER®  
LUX pg. 31



POCKET MATE®  
USB pg. 32



STYLUS PRO® SERIES  
pg. 33



MICROSTREAM®  
SERIES pg. 33



MACROSTREAM®  
USB pg. 33

NEW



PROTAC® 2.0  
pg. 39

NEW



SL-B50® BATTERY  
pg. 39



PROTAC® 90 X  
pg. 39



DUALIE® 2AA  
pg. 40



DUALIE® 3AA  
pg. 40



DUALIE®  
RECHARGEABLE pg. 40



SUPER SIEGE®  
pg. 42





VULCAN® 180/  
HAZ-LO® pg. 10



E-FLOOD® LITEBOX® HL  
pg. 11



HID LITEBOX®  
pg. 11



PORTABLE SCENE  
LIGHT/EXT pg. 12



PORTABLE SCENE  
LIGHT II pg. 14

**NEW**



WAYPOINT® 400  
pg. 23



VANTAGE® 180 X/USB  
pg. 24



POLYTAC 90® X/USB  
pg. 25



SL-B26® LI-ION BATTERY &  
BANK CHARGER pgs. 26-27



VANTAGE® II  
pg. 28



VANTAGE®  
pg. 29

**NEW**



WEDGE®  
pg. 34



STINGER® 2020  
pg. 36



STINGER LED HL®  
pg. 36



STRION LED HL®  
pg. 36



POLYTAC® X/USB  
pg. 38



PROTAC® HL-X/USB  
pg. 38



SIEGE® X USB  
pg. 43



THE SIEGE®  
pg. 43



BEARTRAP®  
pg. 44



ENDURO® PRO HAZ-LO  
pg. 47



BANDIT® PRO  
pg. 47



ENDURO® PRO  
pg. 47







# VULCAN CLUTCH® **NEW**

The Vulcan Clutch hand lantern features a unique handle that opens to allow instant hands-free use. The head then fully articulates for the direct targeting of work allowing you to illuminate your path so you can navigate to your destination safely and efficiently. Flash mode for use as an exit marker or warning beacon.

Three white LEDs produce extreme brightness and two ultra-bright blue taillight LEDs provide visibility in thick smoke. A large handle enables smooth handoffs even with gloves. IPX7; waterproof to 1m for 30 minutes. Uses the same mounting rack as the Vulcan 180.

Large, multi-function, push button switch easy to use with gloved hands.



Orange model includes quick release shoulder strap.



Yellow model includes heavy duty shoulder strap.



|                     | HIGH   | LOW    |
|---------------------|--------|--------|
| <b>LUMENS:</b>      | 1,700  | 380    |
| <b>CANDELA:</b>     | 67,500 | 15,000 |
| <b>DISTANCE:</b>    | 520m   | 245m   |
| <b>RUN TIME:</b>    | 6.5h   | 18h    |
| FLASH RUNS 25 HOURS |        |        |

**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 9.39" x 4.6" x 6.4" (23.85 x 11.68 x 16.26 cm)  
**WEIGHT:** 2.84 lbs. (1.288kg)  
**COLOR:** Orange or Yellow

### NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

| ITEM # | DESCRIPTION  |
|--------|--|
| 44361  | VULCAN CLUTCH - 120V AC/12V DC, QUICK RELEASE SHOULDER STRAP - ORANGE                |
| 44365  | VULCAN CLUTCH - VEHICLE MOUNT SYSTEM - 12V DC, QUICK RELEASE SHOULDER STRAP - ORANGE |
| 44360  | VULCAN CLUTCH - LIGHT ONLY - QUICK RELEASE SHOULDER STRAP - ORANGE                   |
| 44371  | VULCAN CLUTCH - 120V AC/12V DC, HEAVY DUTY SHOULDER STRAP - YELLOW                   |
| 44375  | VULCAN CLUTCH - VEHICLE MOUNT SYSTEM - 12V DC, HEAVY DUTY SHOULDER STRAP - YELLOW    |
| 44370  | VULCAN CLUTCH - LIGHT ONLY - HEAVY DUTY SHOULDER STRAP - YELLOW                      |





## VULCAN® 180 HAZ-LO® // VULCAN® 180

The multi-function Vulcan 180 series features a 180° articulating head to aim the beam for scene lighting.

The new Vulcan 180 HAZ-LO was developed for use in hazardous locations on a portable scene light platform.

Combine the three extreme bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke.

**BATTERY:** Lithium ion  
**SIZE:** 7.43" (18.8 cm)  
**WEIGHT:** 2.45 lbs. (1.12kg)  
**COLOR:** Orange

### NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

### HAZ-LO DIV 1 MODEL:

|                  | HIGH   | LOW   |
|------------------|--------|-------|
| <b>LUMENS:</b>   | 400    | 130   |
| <b>CANDELA:</b>  | 25,000 | 8,000 |
| <b>DISTANCE:</b> | 316m   | 128m  |
| <b>RUN TIME:</b> | 10h    | 24h   |



Class I, II, III, Div 1, Groups A, B, C, D, E, F, G  
 Class I, Zone 0, Group IIC;  
 T-Code: T4

IP65 rated - dust-tight and water-resistant


### DIV 2 MODEL:

|                  | HIGH   | LOW    |
|------------------|--------|--------|
| <b>LUMENS:</b>   | 1,200  | 350    |
| <b>CANDELA:</b>  | 75,000 | 22,000 |
| <b>DISTANCE:</b> | 548m   | 296m   |
| <b>RUN TIME:</b> | 5.75h  | 16h    |



Class I, Div. 2 Groups A, B, C, D;  
 Class II Division 2 F, G; Class III;  
 Temperature Class T4

IP64 rated - dust-tight and water-resistant



### HAZ-LO DIV 1 MODEL:

| ITEM # | DESCRIPTION   |
|--------|---|
| 44331  | VULCAN 180 HAZ-LO - STD SYSTEM - 120V AC/12V DC, QUICK RELEASE STRAP - ORANGE   |
| 44335  | VULCAN 180 HAZ-LO - VEHICLE MOUNT SYSTEM - 12V DC, QUICK RELEASE STRAP - ORANGE |

### DIV 2 MODEL:

| ITEM # | DESCRIPTION   |
|--------|---|
| 44311  | VULCAN 180 [DIV. 2] - STD SYSTEM - 120V AC/12V DC, QUICK RELEASE STRAP - ORANGE   |
| 44315  | VULCAN 180 [DIV. 2] - VEHICLE MOUNT SYSTEM - 12V DC, QUICK RELEASE STRAP - ORANGE |



## E-FLOOD® LITEBOX® HL

The E-Flood LiteBox HL features six ultra-bright white LEDs that produce **5,300 lumens** to flood an entire area with light. An integrated diffuser lets you select from a flood and spot lens in three lighting intensities and a 90° swivel neck lets you aim light where it's needed. It's ideal for illuminating a rescue scene or any site that requires a large flood beam. Includes a 10 ft DC power cord - plug into external power source, and it will charge while in use.

**BATTERY:** Zero-maintenance 12V sealed lead acid  
**SIZE:** 12.3" x 5.1" x 7.7" (31 x 13 x 19 cm)  
**WEIGHT:** 10.4 lbs. (4.7kg)  
**COLOR:** Orange

### NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

|                  | HIGH   | MEDIUM | LOW    |
|------------------|--------|--------|--------|
| <b>LUMENS:</b>   | 5,300  | 2,500  | 1,300  |
| <b>CANDELA:</b>  | 42,000 | 21,300 | 11,600 |
| <b>DISTANCE:</b> | 410m   | 292m   | 215m   |
| <b>RUN TIME:</b> | 1.75h  | 4.5h   | 10h    |



| ITEM # | DESCRIPTION  |
|--------|--|
| 45661  | E-FLOOD LITEBOX HL - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK - ORANGE    |
| 45665  | E-FLOOD LITEBOX HL - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE |
| 45660  | E-FLOOD LITEBOX HL - WITHOUT CHARGER - ORANGE  |

## HID LITEBOX®

This portable, one million candela searchlight illuminates objects up to a mile away. It features a 35W, high intensity xenon lamp and a 90° swivel head. Intense brightness and amazing 1-mile reach make this the ideal hand-held lantern when you need to inspect an entire area quickly and efficiently.

**BATTERY:** Zero-maintenance 12V sealed lead acid  
**SIZE:** 14.9" (38 cm)  
**WEIGHT:** 10 lbs. 1.6 oz (4.6kg)  
**COLOR:** Orange or Black

### NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



|                  |          |
|------------------|----------|
| <b>LUMENS:</b>   | 3,350    |
| <b>CANDELA:</b>  | 1,00,000 |
| <b>RUN TIME:</b> | 1.75h    |



10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide indefinite run time

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the power cord

| ORANGE | BLACK | DESCRIPTION  |
|--------|-------|--|
| 45601  | 45621 | HID LITEBOX - STD SYSTEM - 120V AC/12V DC, 10 FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS                    |
| 45605  | 45625 | HID LITEBOX - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, 10 FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS |
| 45600  | 45620 | HID LITEBOX -WITHOUT CHARGER - INCLUDES 10 FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS                       |



## PORTABLE SCENE LIGHT

|                  | HIGH  | MEDIUM | LOW   |
|------------------|-------|--------|-------|
| <b>LUMENS:</b>   | 5,300 | 2,500  | 1,300 |
| <b>DISTANCE:</b> | 410m  | 292m   | 215m  |
| <b>RUN TIME:</b> | 4h    | 9h     | 18h   |



The Portable Scene Light provides rapid deployment on site, and it goes anywhere. It extends to full height within seconds and features a 90° swivel neck to shine light into the most out-of-the-way places.

Three levels of lighting and substantial run time last through several shifts. Its unique diffuser lets you select a flood or spot beam in all three levels.

Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.

### Two models:

**Portable Scene Light** - features a telescoping pole that extends to 72" (182.88 cm)

**Portable Scene Light EXT** - features a longer telescoping pole that extends to 84" (213.36 cm)

**Portable Scene Light** packs to a compact size for easy storage (22 in.; 55.88 cm)



**Portable Scene Light EXT** packs to a compact size for easy storage (25.5 in.; 64.8 cm)



### PORTABLE SCENE LIGHT

**BATTERY:** Zero-maintenance 12V sealed lead acid  
**SIZE:** 22" (55.88 cm)  
**WEIGHT:** 25 lbs. (11.3kg)  
**COLOR:** Yellow

### PORTABLE SCENE LIGHT EXT

**BATTERY:** Zero-maintenance 12V sealed lead acid  
**SIZE:** 25.5" (64.8 cm)  
**WEIGHT:** 25.5 lbs. (11.6kg)  
**COLOR:** Yellow



| ITEM # | DESCRIPTION                                       |
|--------|---|
| 45670  | PORTABLE SCENE LIGHT -120V AC/12V DC — YELLOW     |
| 45680  | PORTABLE SCENE LIGHT EXT -120V AC/12V DC — YELLOW |





Extends to full height with the stabilization legs fully deployed and locked in less than 30 seconds

Portable Scene Light EX-T: pole extends to 84" (213.36 cm)

Portable Scene Light: pole extends to 72" (182.88 cm)



**Special Features:**

- Full deployment in 30 seconds
- Designed to resist 40 mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67 rated; dust-tight and **WATERPROOF TO 1M FOR 30 MINUTES**
- Stabilization legs provide balance on uneven surfaces

Balanced design; lead acid batteries provide ballast and stability



# PORTABLE SCENE LIGHT II : TURN TO A HIGHER POWER

- STACKABLE FOR “LIGHT TOWER” CAPABILITY
- 360-DEGREE ROTATING HEAD
- PORTABLE, CORDLESS AND LIGHTWEIGHT
- HIGH-QUALITY, VIRTUALLY INDESTRUCTIBLE ALLOY STEEL FRAME
- WATERPROOF
- 10,000 LUMENS



## PORTABLE SCENE LIGHT II

|                  | 100%   | 80%   | 60%   | 40%   | 20%   |
|------------------|--------|-------|-------|-------|-------|
| <b>LUMENS:</b>   | 10,000 | 8,300 | 6,300 | 4,500 | 2,300 |
| <b>RUN TIME:</b> | 2h     | 2.75h | 3.75h | 5.75h | 11h   |



Turn to a higher power with the Portable Scene Light II. 18 LEDs produce **10,000 lumens** to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for “light tower” capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc.

The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.



Hang over doors, guard rails, fences, etc.

Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

**BATTERY:** Lithium-ion  
**SIZE:** 16 x 11 x 12 in; (40.6 x 27.9 x 30.5 cm)  
**WEIGHT:** 15.56 lbs. (7.06kg)  
**COLOR:** Red



| ITEM # | DESCRIPTION                                   |
|--------|---|
| 46000  | PORTABLE SCENE LIGHT II -120V AC/12V DC — RED |



# CORDLESS AND COMPACT

## PREVENTS TRIP HAZARDS

TAKE YOUR WORK SITE FROM THIS:



TO THIS:



The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - under 16 lbs. - so if you need to grab one off the stack and move to another location, it won't weigh you down.

#### Special Features:

- Portable, cordless, ultra compact
- Zero deployment time
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
  - Batteries will continue to charge while in use
- **IPX7 WATERPROOF TO 1M FOR 30 MINUTES**

Use a single unit or stack for multi-level lighting





THE E-FLOOD & E-SPOT SERIES ARE ABOUT

# DELIVERING THE RIGHT LIGHT EXACTLY WHERE YOU NEED IT.

## E-FLOOD® LITEBOX® // E-FLOOD® FIREBOX®

|                  | HIGH  | LOW   |
|------------------|-------|-------|
| <b>LUMENS:</b>   | 615   | 330   |
| <b>CANDELA:</b>  | 4,000 | 2,150 |
| <b>DISTANCE:</b> | 126m  | 93m   |
| <b>RUN TIME:</b> | 8h    | 18h   |



E-Spot FireBox features dual rear LEDs to ensure you can be seen from behind.

### NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2016) mounted in any position

## E-SPOT® LITEBOX® // E-SPOT® FIREBOX®

|                  | HIGH   | LOW    |
|------------------|--------|--------|
| <b>LUMENS:</b>   | 540    | 330    |
| <b>CANDELA:</b>  | 55,000 | 32,000 |
| <b>DISTANCE:</b> | 469m   | 358m   |
| <b>RUN TIME:</b> | 7h     | 15h    |



E-Spot FireBox features dual rear LEDs to ensure you can be seen from behind.

### NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2016) mounted in any position

Six LEDs spread light over an entire area. An extended run time – 18 hours – allows you to keep large areas illuminated no matter how long your shift lasts. Swivel the head to point light where you need it. IPX4 water-resistant.

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. It features a swivel head that makes it easy to inspect ceilings and out-of-the-way places. IPX4 water-resistant.

### E-FLOOD LITEBOX / E-FLOOD FIREBOX

**BATTERY:** Zero-maintenance sealed lead acid

**SIZE:** 11.5 [29.2 cm]

**WEIGHT:** 7 lbs. 14.4 oz [3.58kg]

**COLOR:** Orange or Yellow

### E-SPOT LITEBOX / E-SPOT FIREBOX

**BATTERY:** Zero-maintenance sealed lead acid

**SIZE:** 11.5 [29.2 cm]

**WEIGHT:** 7 lbs. 14.4 oz [3.58kg]

**COLOR:** Orange or Yellow

| ORANGE                                  | YELLOW | DESCRIPTION  |
|---|--------|--|
| <b>E-FLOOD LITEBOX</b>                  |        |  |
| 45801                                   | 45821  | E-FLOOD LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK     |
| 45805                                   | 45825  | E-FLOOD LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP        |
| 45807                                   | --     | E-FLOOD LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK |
| 45806                                   | 45826  | E-FLOOD LITEBOX- WITHOUT CHARGER                                     |
| <b>E-FLOOD FIREBOX (DUAL REAR LEDS)</b> |        |  |
| 45811                                   | --     | E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK     |
| 45815                                   | --     | E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP      |
| 45832                                   | --     | E-FLOOD FIREBOX - WITHOUT CHARGER                                    |

| ORANGE                                 | YELLOW | DESCRIPTION   |
|--|--------|---|
| <b>E-SPOT LITEBOX</b>                  |        |   |
| 45851                                  | 45871  | E-SPOT LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK     |
| 45855                                  | 45875  | E-SPOT LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP        |
| 45857                                  | ---    | E-SPOT LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTAIN RACK |
| 45856                                  | 45866  | E-SPOT LITEBOX- WITHOUT CHARGER                                     |
| <b>E-SPOT FIREBOX (DUAL REAR LEDS)</b> |        |   |
| 45861                                  | --     | E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK    |
| 45865                                  | --     | E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP     |
| 45882                                  | --     | E-FLOOD FIREBOX - WITHOUT CHARGER                                   |

Power Failure System features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.





## FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7 rated - waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

**BATTERY:** Lithium ion  
**SIZE:** 7.5" (19.05 cm)  
**WEIGHT:** 1.85 lbs. (839kg)  
**COLOR:** Orange



Class I, Div. 2, Groups A, B, C, D;  
 Class II, Div. 2, Groups F, G;  
 Class III T-Code: T4

### NFPA

Rack meets requirements of  
 NFPA 1901-14.1.10.2 (2016)  
 mounted in any position

|                  | HIGH    | LOW    |
|------------------|---------|--------|
| <b>LUMENS:</b>   | 180     | 80     |
| <b>CANDELA:</b>  | 100,000 | 45,000 |
| <b>RUN TIME:</b> | 5h      | 10h    |



Ultra-bright blue tail light LEDs make certain you can be seen, even in thick smoke.



| ITEM # | DESCRIPTION   |
|--------|---|
| 44450  | FIRE VULCAN LED - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & RACK - ORANGE             |
| 44451  | FIRE VULCAN LED - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE |
| 44454  | FIRE VULCAN LED - WITHOUT CHARGER - ORANGE  |



## RECHARGEABLE LANTERNS ACCESSORIES

| ACCESSORY   |   | PART #         | GOES WITH  |
|---|---|----------------|--|
| STANDARD MOUNTING RACK – ORANGE<br>VEHICLE MOUNTING RACK – ORANGE |    | 45070<br>45071 | E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/<br>FIREBOX, HID LITEBOX   |
| STANDARD MOUNTING RACK – YELLOW<br>VEHICLE MOUNTING RACK – YELLOW |    | 45072<br>45074 | E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX  |
| STANDARD MOUNTING RACK – BLACK<br>VEHICLE MOUNTING RACK – BLACK   |    | 45075<br>45076 | HID LITEBOX  |
| STANDARD CHARGE RACK - BLACK<br>VEHICLE MOUNTING RACK - BLACK     |    | 44103<br>44132 | FIRE VULCAN LED  |
| STANDARD RACK - BLACK<br>DIRECT WIRE 12V DC RACK KIT - BLACK      |    | 44350<br>44306 | VULCAN 180, VULCAN CLUTCH  |
| 12V DC (CAR SOCKET) CHARGE CORD                                   |    | 22051          | E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/<br>FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH |
| 12V DC CHARGE CORD  |    | 22050          | E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/<br>FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH |
| 12V DC CHARGE CORD (10 FT/3M)                                     |   | 22056          | PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, PORTABLE SCENE<br>LIGHT II, E-FLOOD LITEBOX HL, HID LITEBOX                      |
| 120V AC CHARGE CORD   |  | 22060          | E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX,<br>FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH                                   |
| 120V AC CHARGE CORD   |  | 22085          | E-FLOOD LITEBOX HL, HID LITEBOX  |
| POWER SUPPLY<br>120V AC CHARGE CORD                               |  | 22083<br>22074 | PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, PORTABLE SCENE<br>LIGHT II   |
| BATTERY (SEALED LEAD ACID)  |  | 45630          | PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, E-FLOOD LITEBOX<br>HL, HID LITEBOX   |
| BATTERY (SEALED LEAD ACID)  |  | 45937          | E-FLOOD LITEBOX, E-SPOT LITEBOX  |
| BATTERY (LITHIUM ION)   |  | 44610          | FIRE VULCAN LED  |
| BATTERY (LITHIUM ION)   |  | 44351          | VULCAN 180   |
| BATTERY (LITHIUM ION)   |  | 44352          | VULCAN 180 HAZ-LO  |
| BATTERY (LITHIUM ION)   |  | 46005          | PORTABLE SCENE LIGHT II  |



# VULCAN<sup>®</sup> 180









## BURNS BRIGHTER. LASTS LONGER. KICKS ASH.

**MULTIPURPOSE, RECHARGEABLE LANTERN.**

- 1200 LUMENS
- 180° ARTICULATING HEAD
- MADE TO USE WITH GLOVED HANDS
  - LARGE HANDLE FOR A SURE GRIP
  - BIG PUSH-BUTTON SWITCH FOR EASY OPERATION
- DESIGNED BY FIREFIGHTERS FOR FIREFIGHTERS
- BACKED BY OVER 50 YEARS OF STREAMLIGHT COMMITMENT



### RECHARGEABLE LANTERNS ACCESSORIES

| ACCESSORY  | PART # | GOES WITH  |
|--|--------|--|
| HID BULB KIT                          | 45637  | HID LITEBOX  |
| FLOOD LENS                            | 45657  | HID LITEBOX  |
| IR FILTER                             | 45654  | HID LITEBOX  |
| E-SPOT UPGRADE KIT                    | 45845  | E-SPOT LITEBOX/FIREBOX   |
| E-FLOOD UPGRADE KIT                   | 45842  | E-FLOOD LITEBOX/FIREBOX  |
| QUICK RELEASE STRAP                   | 44050  | E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH |
| HEAVY DUTY STRAP                      | 45232  | E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH |
| HEAVY DUTY STRAP WITH CARABINER LOCK  | 45677  | PORTABLE SCENE LIGHT   |





# CARRY MORE LIGHT WITH LESS WEIGHT

**SURVIVOR® X USB**

**NEW**

The Survivor X USB provides budget-friendly rechargeability combined with added features and increased output. Uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67 rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 2 safety-rated.



**NFPA**  
Charger meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

**NFPA**  
Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)



Class I & II, Div. 2,  
Grps A, B, C, D, F, G;  
Class III T4

|                           | HIGH   | LOW    |
|---------------------------|--------|--------|
| <b>LUMENS:</b>            | 250    | 60     |
| <b>CANDELA:</b>           | 50,000 | 14,000 |
| <b>DISTANCE:</b>          | 447M   | 237M   |
| <b>RUN TIME (SL-B26):</b> | 4H     | 15H    |
| <b>RUN TIME (ALK):</b>    | 5H     | 15H    |

FLASH RUNS 8 HOURS

**BATTERY:** USB rechargeable SL-B26 battery pack; also accepts 3 "AA" alkaline batteries

**SIZE:** 7.06" (17.92 cm)

**RECH WEIGHT:** 11.9 oz (337g)

**ALKALINE WEIGHT:** 12.8 oz (363g)

**COLOR:** Orange or Yellow

Strong spring-loaded clip securely grabs onto jackets and gear; D-ring provides forward hanging orientation



| ORANGE | YELLOW | DESCRIPTION                          |
|--------|--------|--------------------------------------|
| 90044  | 90244  | SURVIVOR X USB - SL-B26 BATTERY PACK |

Note: The Survivor® X is not compatible with legacy Survivor® chargers.



**SURVIVOR® X**

**NEW**

The Survivor X provides added features and increased output. Uses lithium ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67 rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 1 safety-rated.



|                           | HIGH   | LOW    |
|---------------------------|--------|--------|
| <b>LUMENS:</b>            | 250    | 60     |
| <b>CANDELA:</b>           | 50,000 | 14,000 |
| <b>DISTANCE:</b>          | 447M   | 237M   |
| <b>RUN TIME (SL-B26):</b> | 4H     | 15H    |
| <b>RUN TIME (ALK):</b>    | 5H     | 15H    |
| FLASH RUNS 8 HOURS        |        |        |



Class I & II, Div. 1, Grps A, B, C, D, E, F, G; Class III, T3/T4

**NFPA**

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)

**NFPA**

Charger meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

- BATTERY:** Rechargeable lithium ion battery pack; also accepts 3 “AA” alkaline batteries
- SIZE:** 7.06” (17.92 cm)
- RECH WEIGHT:** 11.9 oz (337g)
- ALKALINE WEIGHT:** 12.8 oz (363g)
- COLOR:** Orange or Yellow

**SURVIVOR® X IMPROVED CHARGER DESIGN**

| ORANGE | YELLOW | DESCRIPTION                      |
|--------|--------|----------------------------------|
| 90952  | 90962  | SURVIVOR X - 120V/100V AC/12V DC |
| 90950  | 90960  | SURVIVOR X - ALKALINE            |

Note: The Survivor® X is not compatible with legacy Survivor® chargers.

- Survivor X securely locks into the charger - fits snugly in place
- Quick release latch for one-handed grab-and-go
- Easy to remove with gloved hands
- Charge indicator shines solid red when charging and solid green when charged



Notice: The Survivor X is not compatible with legacy Survivor chargers; however, the new charger WILL charge both Streamlight’s Legacy Survivors as well as the new Survivor X.



**Charging Status Indicator**

- Know your charge status with battery life indicator in switch boot
- Green indicates full charge
- Turns red when battery is nearing end of usable charge
- Flashes red continuously with 15 minutes or less remaining of battery life



## SURVIVOR X ACCESSORIES

| DESCRIPTION  | SURVIVOR X                 | SURVIVOR X USB             |
|--|----------------------------|----------------------------|
| 5 UNIT 120V AC BANK CHARGER<br>5 UNIT 12V DC BANK CHARGER<br> | 90910<br>90912             | ---                        |
| LI-ION BANK CHARGER<br>                                       | ---                        | SEE PAGE 27                |
| CHARGER<br>   | 90345                      | ---                        |
| LITHIUM ION BATTERY<br>                                       | 90341                      | ---                        |
| ALKALINE/SL-B26 BATTERY CARTRIDGE<br>                         | 90342                      | 90342                      |
| ALKALINE BATTERY CARTRIDGE<br>                               | ---                        | ---                        |
| SL-B26 BATTERY PACK<br>                                     | 22101 - 1PK<br>22105 - 8PK | 22101 - 1PK<br>22105 - 8PK |
| 12V DC1 CHARGE CORD<br>                                     | 22051                      | ---                        |
| 12V DC2 CHARGE CORD<br>                                     | 22050                      | ---                        |
| 120V AC CHARGE CORD<br>                                     | 22060                      | ---                        |
| 40" (101.6 CM) USB CORD<br>22" (55.88 CM) USB CORD<br>      | 22070<br>22081             | 22070<br>22081             |
| FACE CAP (BEZEL)<br>  | 908039                     | 908039                     |

Note: The Survivor® X is not compatible with legacy Survivor® chargers.



# WAYPOINT®

|                  | HIGH    | LOW   |
|------------------|---------|-------|
| <b>LUMENS:</b>   | 550     | 40    |
| <b>CANDELA:</b>  | 100,000 | 7,900 |
| <b>DISTANCE:</b> | 625m    | 178m  |
| <b>RUN TIME:</b> | 10h     | 82h   |

12V DC POWER CORD - UNLIMITED RUN TIME  
EMERGENCY SIGNAL: RUNS 82 HOURS



Trigger style switch with momentary operation

Integrated stand for hands-free lighting



Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily. IPX4 water-resistant.

**BATTERY:** 4 "C" batteries (not included)  
**SIZE:** 6.75" (17.15 cm)  
**WEIGHT:** 1 lb 12.8 oz (816g)  
**COLOR:** Yellow or Black

# WAYPOINT® 400



400,000 cd



1,265m

|                  | HIGH    | MEDIUM  | LOW    |
|------------------|---------|---------|--------|
| <b>LUMENS:</b>   | 1400    | 600     | 38     |
| <b>CANDELA:</b>  | 400,000 | 165,000 | 10,000 |
| <b>DISTANCE:</b> | 1,265m  | 812m    | 200m   |
| <b>RUN TIME:</b> | 3.25h   | 7.5h    | 84h    |

The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

**BATTERY:** Lithium Ion  
**SIZE:** 6.75" (17.15 cm)  
**WEIGHT:** 1 lb 5.2 oz (691g)  
**COLOR:** Yellow or Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)



Includes 120V AC Charge Cord



Optional 12V DC Charge Cord



Polymer storage mount (included)

| ITEM # | DESCRIPTION   |
|--------|---|
| 44900  | WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - YELLOW  |
| 44902  | WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - BLACK   |
| 44904  | WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - YELLOW |
| 44905  | WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - BLACK  |
| 44908  | POLYMER STORAGE MOUNT                                 |
| 44903  | 12V DC POWER CORD*                                    |

\*12V DC POWER CORD DOES NOT CHARGE BATTERIES

| ITEM # | DESCRIPTION                           |
|--------|---------------------------------------|
| 44910  | WAYPOINT 400 - 120V AC - BOX - YELLOW |
| 44911  | WAYPOINT 400 - 120V AC - BOX - BLACK  |
| 44918  | POLYMER STORAGE MOUNT                 |
| 44909  | 120V AC CHARGE CORD                   |
| 44923  | 12V DC CORD                           |

# HELMET/RIGHT-ANGLE MULTI-FUNCTION FLASHLIGHT EXTREMELY VERSATILE VANTAGE 180 X

## VANTAGE® 180 X USB // VANTAGE® 180 X

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack with integrated USB port. The Vantage 180 X includes two CR123A batteries.

Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7 waterproof.



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 5.20" (13.20 cm)

**WEIGHT:** SL-B26 - 5.9 oz (167g); CR123A - 5.5 oz (156g)

**COLOR:** Black or Orange

| ORANGE | BLACK | DESCRIPTION                             |
|--------|-------|---|
| 88911  | 88913 | VANTAGE 180 X USB - SL-B26 BATTERY PACK |
| 88901  | 88903 | VANTAGE 180 X - LITHIUM BATTERIES       |

|                           | HIGH  | LOW   |
|---------------------------|-------|-------|
| <b>LUMENS:</b>            | 250   | 100   |
| <b>CANDELA:</b>           | 7,200 | 2,650 |
| <b>DISTANCE:</b>          | 170m  | 103m  |
| <b>RUN TIME (CR123):</b>  | 4h    | 12h   |
| <b>RUN TIME (SL-B26):</b> | 5h    | 15h   |



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A batteries

**NFPA** Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

**CE** Meets applicable European Community Directives

Includes "quick release" helmet bracket and hex key



Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle





## POLYTAC 90<sup>®</sup> X USB // POLYTAC 90<sup>®</sup> X



|                           | HIGH  | LOW   |
|---------------------------|-------|-------|
| <b>LUMENS:</b>            | 500   | 85    |
| <b>CANDELA:</b>           | 7,000 | 1,050 |
| <b>DISTANCE:</b>          | 167m  | 64m   |
| <b>RUN TIME (CR123):</b>  | 2.5h  | 12h   |
| <b>RUN TIME (SL-B26):</b> | 3.75h | 19h   |

### X USB MULTI-FUEL FLEXIBILITY

POWER UP WITH A STREAMLIGHT  
SL-B26 PROTECTED LI-ION USB  
RECHARGEABLE BATTERY PACK  
OR 2 CR123A LITHIUM BATTERIES

Gear Keeper<sup>®</sup> Tether  
features spectra nylon line  
with 36" extension and  
6 oz. retraction force.



Flexible, rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Durable construction plus a switch with built in battery life indicator will let you know when it is time to recharge your battery or replace them giving you the confidence to stay focused on the task at hand.

The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26<sup>®</sup> protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123A batteries.

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 4.43" (11.25 cm)







**WEIGHT:** SL-B26 - 4.8 oz (136g; CR123A - 4.3 oz (122g)

**COLOR:** Orange, Yellow or Black

**NFPA** Meets requirements of  
NFPA 1971-8.6 (2018)

| ORANGE | YELLOW | BLACK | DESCRIPTION  |
|--------|--------|-------|--|
| 88834  | 88831  | 88830 | POLYTAC 90 X - LITHIUM BATTERIES                     |
| 88832  | --     | --    | POLYTAC 90 X - LITHIUM BATTERIES & GEAR KEEPER       |
| 88838  | 88836  | 88835 | POLYTAC 90 X USB - SL-B26 BATTERY PACK               |
| 88837  | --     | --    | POLYTAC 90 X USB - SL-B26 BATTERY PACK & GEAR KEEPER |

## VANTAGE<sup>®</sup> 180 X // POLYTAC 90<sup>®</sup> X ACCESSORIES

| ACCESSORY   | PART #                           | GOES WITH                           |
|---|----------------------------------|-------------------------------------|
| GEAR KEEPER    | 88833                            | POLYTAC 90 X                        |
| CR123A LITHIUM BATTERIES<br>2PK<br>6PK<br>12PK<br>400PK                              | 85175<br>85180<br>85177<br>85179 | VANTAGE 180 X, POLYTAC 90 X         |
| SL-B26 BATTERY PACK - 1PK<br>SL-B26 BATTERY PACK - 2PK<br>SL-B26 BATTERY PACK - 8PK  | 22101<br>22102<br>22105          | VANTAGE 180 X USB, POLYTAC 90 X USB |
| LI-ION BATTERY PACK KIT - USB<br>LI-ION BATTERY PACK KIT - 120V AC                   | 22010<br>22011                   | VANTAGE 180 X USB, POLYTAC 90 X USB |
| LI-ION BANK CHARGER    | SEE<br>PAGE 27                   | VANTAGE 180 X USB, POLYTAC 90 X USB |
| USB CORD - 40" (101 CM)<br>USB CORD - 22" (55.88 CM)                                 | 22070<br>22081                   | VANTAGE 180 X USB, POLYTAC 90 X USB |

# MULTI-FUEL FLEXIBILITY

## A NEW WAY TO LOOK AT BATTERIES AND RECHARGEABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...



OR



### SL-B26® PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems.

USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge.

Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

**BATTERY:** 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack

**SIZE:** 2.75" (7 cm)

**BATTERY WEIGHT:** 1.7 oz (48g)

#### OPTIONAL CHARGE CRADLE

**SIZE:** 4.5" (11.4 cm)

**WEIGHT:** 2.4 oz (68g)



Features integrated USB port.

Charge status LEDs:

**Red** = charging

**Green** = charged

| ITEM # | DESCRIPTION  |
|--------|--|
| 22102  | SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK           |
| 22105  | SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 8PK           |
| 22100  | LI-ION CHARGE CRADLE                                       |
| 22010  | LI-ION BATTERY PACK KIT - USB CORD, 2 SL-B26 BATTERY PACKS |
| 22011  | LI-ION BATTERY PACK KIT - 120V AC, 2 SL-B26 BATTERY PACKS  |
| 22070  | 40" (101 CM) USB CORD                                      |
| 22081  | 22" (55.88 CM) USB CORD                                    |



CHARGING



CHARGED



# ORGANIZE, STORE AND CHARGE YOUR SL-B26 BATTERIES

## EIGHT-UNIT LI-ION BANK CHARGER

Charge up to eight batteries with Streamlight's lithium ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.



**NFPA** Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position

### BANK CHARGER

**SIZE:** 10.45" x 4.74" x 1" (26.54 x 12.06 x 2.54 cm)

**WEIGHT:** 7.6 oz (216g) w/o batteries; 20.88 oz (592g) w/ batteries

| ITEM # | DESCRIPTION   |
|--------|---|
| 20221  | 8-UNIT BANK CHARGER - 120V AC                         |
| 20220  | 8-UNIT BANK CHARGER - 12V DC                          |
| 20224  | 8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 120V AC |
| 20223  | 8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 12V DC  |
| 44909  | 120V AC CORD  |
| 44923  | 12V DC CORD   |



120V AC Charge Cord



12V DC Charge Cord

## RECHARGEABLE LIGHTING SYSTEMS

**Stinger® 2020**  
see page 36



**ProTac® HL-X USB**  
see page 38



**PolyTac® X USB**  
see page 38



**ProTac® 90 X USB**  
see page 39



**Siege® X USB**  
see page 43



# TRADITION MEETS INNOVATION

VANTAGE® II. BRIGHTER. LIGHTER. BETTER FOR FIREFIGHTERS.

- 350 LUMENS
- SEE AND BE SEEN IN HEAVY SMOKE
- BLUE TAILLIGHT ENSURES YOU CAN BE SEEN FROM BEHIND
- 45 YEARS OF COMMITMENT TO THE FIRE SERVICE



## VANTAGE® II

Lightweight, compact and low profile, the VANTAGE® II is designed to easily attach above or below full brim Fire Helmets or Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

Attaches securely to your helmet - above or below brim in seconds!



|                  | HIGH  | LOW   |
|------------------|-------|-------|
| <b>LUMENS:</b>   | 350   | 135   |
| <b>CANDELA:</b>  | 3,500 | 1,700 |
| <b>DISTANCE:</b> | 118m  | 80m   |
| <b>RUN TIME:</b> | 2.25h | 5h    |



Large push-button switch features blue taillight LED that ensures you can be seen from behind.

| ITEM # | DESCRIPTION   |
|--------|---|
| 69331  | VANTAGE II - [FIRE] WITH CR123A LITHIUM BATTERY   |
| 69333  | VANTAGE II - [IND] WITH CR123A LITHIUM BATTERY  |
| 69337  | VANTAGE II - [FOR MSA CAIRNS® 1010/1044 TRADITIONAL FIRE HELMETS] WITH CR123A LITHIUM BATTERY |
| 69334  | BRACKET KIT - FIRE  |
| 69336  | BRACKET KIT - INDUSTRIAL  |
| 69339  | BRACKET KIT - FOR MSA CAIRNS® 1010/1044 TRADITIONAL FIRE HELMETS                              |

All right reserved. Cairns® is a registered trademark of the Cairns Trademark Trust.

**NFPA**  
Meets requirements of  
NFPA 1971-8.6 (2013);  
500° heat resistance test

**BATTERY:** 1 CR123A lithium  
**SIZE WITH FIRE MOUNT:** 2.37" [6.01 cm]  
**FIRE MOUNT WEIGHT:** 3.65 oz [103.5g]  
**COLOR:** Black



## VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright taillight LED so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

**BATTERY:** 2 CR123A lithium

**SIZE:** 3.26" (8.28 cm)

**WEIGHT:** 5.14 oz (145.7g)

**COLOR:** Black

### NFPA

Meets requirements of  
NFPA 1971-8.6 (2013);  
500° heat resistance test

|                  |       |
|------------------|-------|
| <b>LUMENS:</b>   | 115   |
| <b>CANDELA:</b>  | 7,000 |
| <b>DISTANCE:</b> | 167m  |
| <b>RUN TIME:</b> | 6h    |



Dual direction,  
easy access  
on/off switch.

Ultra-bright  
taillight LED.

| ITEM # | DESCRIPTION                                     |
|--------|---|
| 69140  | VANTAGE - WITH CR123A LITHIUM BATTERIES - BLACK |





## POLYTAC® HELMET LIGHTING KIT

Kit fits both traditional and modern style fire fighting helmets. It provides a low-profile, lightweight and economical alternative for securely mounting a flashlight to almost any style fire helmet. The durable, lightweight, aluminum mount easily attaches to the brim of firefighters' helmets with no tools required. The rubber helmet strap is another easy, "no tools required" method to attach your flashlight to almost any helmet. Made of high-strength rubber. Also fits hard hats.

PolyTac features a rugged housing, extreme brightness and extended run times. TEN-TAP® Programming lets you choose the order of operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/high. IPX7- waterproof to 1m for 30 minutes.

**BATTERY:** 2 CR123A lithium  
**SIZE:** 5.34" (13.56 cm)  
**WEIGHT:** 4.2 oz (121g)  
**COLOR:** Yellow

### NFPA

Meets requirements of  
 NFPA 1971-8.6 (2013)

|                               | HIGH   | MEDIUM | LOW |
|-------------------------------|--------|--------|-----|
| <b>LUMENS:</b>                | 600    | 260    | 35  |
| <b>CANDELA:</b>               | 11,500 | 4,900  | 675 |
| <b>DISTANCE:</b>              | 214m   | 140m   | 52m |
| <b>RUN TIME (CR123):</b>      | 2.75h  | 5.5h   | 34h |
| STROBE RUNS 5.5 HOURS (CR123) |        |        |     |



Durable, aluminum helmet mount makes it easy to transition the PolyTac from a helmet mounted light to a handheld lighting tool in seconds



Kit includes PolyTac, CR123A lithium batteries, helmet mount and rubber helmet strap



Rubber helmet strap is an easy "no tools required" method to attach your flashlight to your helmet

| ITEM # | DESCRIPTION   |
|--------|---|
| 88854  | HELMET LIGHTING KIT – YELLOW POLYTAC, RUBBER HELMET STRAP, HELMET MOUNT AND LITHIUM BATTERIES |



## 4AA PROPOLYMER® LUX®

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1m for 30 minutes. 1m impact-resistance tested. Corrosion-proof.

|                  |        |
|------------------|--------|
| <b>LUMENS:</b>   | 200    |
| <b>CANDELA:</b>  | 12,000 |
| <b>DISTANCE:</b> | 219m   |
| <b>RUN TIME:</b> | 6h     |



### 4AA Lux Div. 2



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F&G;  
Class III, T3C (142 C)

### 4AA Lux Div. 1



Class I, Div. 1, Groups C & D;  
Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 1, Groups F & G;  
Class III; Exia; T4

### NFPA




Meets requirements of  
NFPA 1971-8.6 (2007);  
500° heat resistance test



**BATTERY:** 4 "AA" alkaline  
**SIZE:** 7" (17.78 cm)  
**WEIGHT:** 7.6 oz (216g)  
**COLOR:** Yellow or Black

| YELLOW | BLACK | DESCRIPTION                                       |
|--------|-------|---|
| 68244  | 68344 | 4AA PROPOLYMER LUX DIV. 2 WITH ALKALINE BATTERIES |
| 68602  | 68702 | 4AA PROPOLYMER LUX DIV. 1 WITH ALKALINE BATTERIES |

## HELMET LIGHTING ACCESSORIES

| ACCESSORY  | PART #                           | GOES WITH                   |
|--|----------------------------------|-----------------------------|
| <br>HELMET MOUNT  | 68085                            | POLYTAC, 4AA PROPOLYMER LUX |
| <br>RUBBER HELMET BAND  | 99075                            | POLYTAC, 4AA PROPOLYMER LUX |
| CR123A LITHIUM BATTERIES - 2PK<br>CR123A LITHIUM BATTERIES - 6PK<br>CR123A LITHIUM BATTERIES - 12PK<br>CR123A LITHIUM BATTERIES - 400PK<br> | 85175<br>85180<br>85177<br>85179 | POLYTAC                     |

# ALL-PURPOSE LIGHTING TOOLS

## FOR NON-STRUCTURAL FIRE FIGHTING



### POCKET MATE® USB

The Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. IPX4 weather-resistant. Two year warranty.

**BATTERY:** Lithium polymer  
**SIZE:** 2" (5.1 cm)  
**WEIGHT:** 0.5 oz (14.2g)  
**COLOR:** Silver or Red



|                  | HIGH  | LOW |
|------------------|-------|-----|
| <b>LUMENS:</b>   | 325   | 45  |
| <b>CANDELA:</b>  | 1,450 | 200 |
| <b>DISTANCE:</b> | 76m   | 28m |
| <b>RUN TIME:</b> | 20min | 1h  |



Clip onto brim of hat for hands-free use



| ITEM # | DESCRIPTION                                |
|--------|--|
| 73300  | POCKET MATE - WITH USB CORD - BOX - SILVER |
| 73301  | POCKET MATE - WITH USB CORD - BOX - RED    |



## STYLUS PRO®

|                  |     |
|------------------|-----|
| <b>LUMENS:</b>   | 100 |
| <b>CANDELA:</b>  | 950 |
| <b>DISTANCE:</b> | 62m |
| <b>RUN TIME:</b> | 8h  |



The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room – it provides a beam distance of 58 meters.

**BATTERY:** 2 "AAA" alkaline  
**SIZE:** 5.3" (13.4 cm)  
**WEIGHT:** 1.64 oz (46.9g)  
**COLOR:** Black or Red

| ITEM # | DESCRIPTION                                      |
|--------|--|
| 66118  | STYLUS PRO WITH ALKALINE BATTERIES – MATTE BLACK |
| 66120  | STYLUS PRO WITH ALKALINE BATTERIES – RED         |
| 66028  | NYLON HOLSTER                                    |

## STYLUS PRO® USB

|                  | HIGH  | LOW  |
|------------------|-------|------|
| <b>LUMENS:</b>   | 350   | 90   |
| <b>CANDELA:</b>  | 2,950 | 840  |
| <b>DISTANCE:</b> | 109m  | 58m  |
| <b>RUN TIME:</b> | 1.5h  | 3.5h |



You won't want to be without this sleek, compact penlight that USB rechargeable. High and low modes for brighter light or longer run time. Consistent light output throughout battery life. IPX4 water-resistant.

**BATTERY:** Lithium ion  
**SIZE:** 5.95" (151 mm)  
**WEIGHT:** 1.8 oz (51g)  
**COLOR:** Black

| ITEM # | DESCRIPTION                                   |
|--------|---|
| 66133  | STYLUS PRO 120V AC - INCLUDES HOLSTER - BLACK |
| 22070  | 22" USB CORD                                  |
| 66029  | NYLON HOLSTER                                 |

## MACROSTREAM® USB

High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4 water-resistant.

**BATTERY:** Lithium ion  
**SIZE:** 4.5" (114.3 mm)  
**WEIGHT:** 2.2 oz (62.4g)  
**COLOR:** Black

| ITEM # | DESCRIPTION   |
|--------|---|
| 66320  | MACROSTREAM USB - USB CORD & LANYARD - CLAM - BLACK |

## MICROSTREAM®

|                  |       |
|------------------|-------|
| <b>LUMENS:</b>   | 45    |
| <b>CANDELA:</b>  | 420   |
| <b>DISTANCE:</b> | 41m   |
| <b>RUN TIME:</b> | 2.25h |



The MicroStream is small enough for you to discreetly keep it in your pocket or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for those who don't want to be weighed down by larger lighting tools.

**BATTERY:** 1 "AAA" alkaline  
**SIZE:** 3.6" (91.5 mm)  
**WEIGHT:** 1.1 oz (31.2g)  
**COLOR:** Black or Red



Pocket clip attaches to visor for hands-free use

| ITEM # | DESCRIPTION  |
|--------|--|
| 66318  | MICROSTREAM WITH ALKALINE BATTERIES - CLAM - BLACK |
| 66323  | MICROSTREAM WITH ALKALINE BATTERIES - CLAM - RED   |

## MICROSTREAM® USB

|                  | HIGH  | LOW  |
|------------------|-------|------|
| <b>LUMENS:</b>   | 250   | 50   |
| <b>CANDELA:</b>  | 1,150 | 250  |
| <b>DISTANCE:</b> | 68m   | 31m  |
| <b>RUN TIME:</b> | 1.5h  | 3.5h |



This compact lithium ion battery-powered flashlight is designed for use in all markets. It features a tail cap switch with momentary or constant on operation, high and low beams and a combination pocket/hat clip for convenience. Durable aluminum construction; IPX4 water-resistant.

**BATTERY:** Lithium ion  
**SIZE:** 3.87" (98.2 cm)  
**WEIGHT:** 1.2 oz (34.1g)  
**COLOR:** Black or Red



Pocket clip attaches to visor for hands-free use

| ITEM # | DESCRIPTION  |
|--------|--|
| 66604  | MICROSTREAM USB - USB CORD & LANYARD - BOX - BLACK |
| 66605  | MICROSTREAM USB - USB CORD & LANYARD - BOX - RED   |

|                  | HIGH  | LOW |
|------------------|-------|-----|
| <b>LUMENS:</b>   | 500   | 50  |
| <b>CANDELA:</b>  | 2,200 | 220 |
| <b>DISTANCE:</b> | 90m   | 30m |
| <b>RUN TIME:</b> | 2h    | 8h  |



Pocket clip attaches to visor for hands-free use

# EXTRAORDINARY Everyday Carry

//THRO MODE PROVIDES A BLAST OF 1,000 LUMENS

## WEDGE®

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.

|                  | THRO  | CONSTANT ON |
|------------------|-------|-------------|
| <b>LUMENS:</b>   | 1,000 | 300         |
| <b>CANDELA:</b>  | 3,000 | 1,200       |
| <b>DISTANCE:</b> | 110m  | 69m         |
| <b>RUN TIME:</b> | 35sec | 3h          |

**BATTERY:** Lithium Polymer  
**SIZE:** 5.46" (13.87 cm)  
**WEIGHT:** 3.3 oz (93.5g)  
**COLOR:** Black or Coyote

Outfitted with an intuitive rotating thumb switch providing tactile control over constant-on and THRO modes.



Battery charge indicator located in the on/off switch.  
 Charge indication:  
**Red - Charging // Green - Charged**



| ITEM # | DESCRIPTION                                   |
|--------|---|
| 88810  | WEDGE - INCLUDES USB-C CORD, LANYARD - BLACK  |
| 88811  | WEDGE - INCLUDES USB-C CORD, LANYARD - COYOTE |



Securely attaches to MOLLE, turnout gear, harnesses, etc.



Small enough to fit in your tool bag



Designed for concealed, deep pocket carry



The perfect addition to your EDC kit

Width: 0.6" (1.52 cm)





## STINGER® 2020

The next evolution in high-performance, work-ready flashlights produces **2,000 lumens**. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time.

A long-lasting SL-B26 USB rechargeable battery pack offers multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once.

IPX7 waterproof to 1m submersion, corrosion-resistant sealed glass lens.

**BATTERY:** 2 SL-B26 Li-Ion USB rechargeable battery packs  
**SIZE:** 7.67" (19.48 cm)  
**WEIGHT:** 12.3 oz (350g)  
**COLOR:** Black

| ITEM # | DESCRIPTION                   |
|--------|-------------------------------|
| 78101  | STINGER 2020 - 120V AC/12V DC |

TAA COMPLIANT

|                  | HIGH   | MEDIUM | LOW   |
|------------------|--------|--------|-------|
| <b>LUMENS:</b>   | 2,000  | 850    | 100   |
| <b>CANDELA:</b>  | 26,000 | 12,000 | 6,000 |
| <b>DISTANCE:</b> | 315m   | 200m   | 70m   |
| <b>RUN TIME:</b> | 2h     | 4h     | 24h   |

STROBE RUNS 3.25 HOURS



Mode switch for easy selection of High, Medium or Low



Uses two SL-B26® protected Li-Ion USB rechargeable battery packs

## STINGER LED HL®

|                  | HIGH   | MEDIUM | LOW   |
|------------------|--------|--------|-------|
| <b>LUMENS:</b>   | 800    | 400    | 200   |
| <b>CANDELA:</b>  | 24,000 | 12,000 | 6,000 |
| <b>DISTANCE:</b> | 310m   | 219m   | 155m  |
| <b>RUN TIME:</b> | 1.5h   | 2.5h   | 5h    |

STROBE RUNS 3 HOURS



When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 800 lumens with 310 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. IPX4 water-resistant.

**BATTERY:** NiMH  
**SIZE:** 8.41" (21.36 cm)  
**WEIGHT:** 12.4 oz (352g)  
**COLOR:** Black

| ITEM # | DESCRIPTION                                 |
|--------|---|
| 75430  | STINGER LED HL - 120V AC/12V DC - 2 HOLDERS |

## STRION LED HL®

|                  | HIGH   | MEDIUM | LOW   |
|------------------|--------|--------|-------|
| <b>LUMENS:</b>   | 615    | 320    | 160   |
| <b>CANDELA:</b>  | 12,000 | 6,000  | 3,000 |
| <b>DISTANCE:</b> | 219m   | 155m   | 110m  |
| <b>RUN TIME:</b> | 1.25h  | 2.5h   | 4.5h  |

STROBE RUNS 3 HOURS



When you need maximum illumination with a wide beam to search a large area, the compact Strion LED HL provides a high-powered blast of 615 lumens with 219 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. IPX4 water-resistant. Anti-roll head design.

**BATTERY:** Lithium ion  
**SIZE:** 5.90" (14.99 cm)  
**WEIGHT:** 5.2 oz (148g)  
**COLOR:** Black

| ITEM # | DESCRIPTION                                |
|--------|--|
| 74752  | STRION LED HL - 120V AC/12V DC - 2 HOLDERS |



## STINGER // STRION ACCESSORIES

| ACCESSORIES   | STINGER<br>2020  | STINGER<br>LED HL | STRION<br>LED HL |
|---|--|-------------------|------------------|
| 5-UNIT<br>BANK CHARGER  |  75400            | 75400             | ---              |
| 6-UNIT<br>BANK<br>CHARGER 120V                                  |  ---              | ---               | 74400            |
| SMART CHARGER   |  75105            | 75105             | 74102            |
| PIGGYBACK® CHARGER<br>(INCLUDES NIMH BATTERY)<br>STINGER SERIES |  ---              | 75277             | ---              |
| PIGGYBACK® CHARGER<br>(BATTERY NOT INCLUDED)<br>STRION SERIES   |  ---              | ---               | 74115            |
| SL-B26<br>BATTERY PACK  |  78105            | ---               | ---              |
| LI-ION<br>BATTERY STICK   |  ---              | 75176             | 74175            |
| NIMH<br>BATTERY STICK   |  ---             | 75375             | ---              |
| 12V DC1 CHARGE CORD<br>12V DC2 CHARGE CORD                      |  22051<br>22050 | 22051<br>22050    | 22051<br>22050   |
| “Y” USB CORD  |  22082          | ---               | ---              |
| 120V AC<br>CHARGE CORD  |  22071          | 22071             | 22071            |
| LEATHER<br>PLAIN<br>HOLSTER                                     |  ---            | 75133             | 74059            |
| NYLON<br>HOLSTER  |  78107          | ---               | ---              |
| LEATHER<br>WEAVE<br>HOLSTER                                     |  78114          | 75134             | 74060            |
| NYLON<br>HOLSTER  |  ---            | 75927             | ---              |
| LOOP<br>NYLON<br>HOLSTER  |  ---            | 75928             | ---              |
| DUTY<br>HOLSTER   |  ---            | 88053             | 88051            |
| RING<br>HOLDER  |  ---            | 75906             | ---              |

## POLYTAC® X USB // POLYTAC® X

|                           | HIGH   | MEDIUM | LOW |
|---------------------------|--------|--------|-----|
| <b>LUMENS:</b>            | 600    | 260    | 35  |
| <b>CANDELA:</b>           | 11,485 | 4,930  | 675 |
| <b>DISTANCE:</b>          | 205m   | 135m   | 50m |
| <b>RUN TIME (CR123):</b>  | 2.75h  | 5.5h   | 34h |
| <b>RUN TIME (SL-B26):</b> | 3.5h   | 5.75h  | 36h |

STROBE RUNS 8 HOURS



**NFPA**

Meets requirements of NFPA 1971-8.6 (2013)

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

This 600 lumen tactical light incorporates Multi-Fuel Design that provides you the versatility to use two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7 - waterproof to 1m for 30 minutes.



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A batteries

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 5.46" (13.87 cm)

**WEIGHT:** CR123A - 4.4 oz (125g); SL-B26 - 4.9 oz (139g)

**COLOR:** Black or Yellow

| YELLOW | BLACK | DESCRIPTION   |
|--------|-------|---|
| 88604  | 88603 | POLYTAC X - TWO CR123A LITHIUM BATTERIES & HOLSTER      |
| 88614  | 88613 | POLYTAC X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER |

## PROTAC® HL-X USB // PROTAC® HL-X

|                           | HIGH   | MEDIUM | LOW   |
|---------------------------|--------|--------|-------|
| <b>LUMENS:</b>            | 1,000  | 400    | 65    |
| <b>CANDELA:</b>           | 27,100 | 10,000 | 1,600 |
| <b>DISTANCE:</b>          | 330m   | 200m   | 80m   |
| <b>RUN TIME (CR123):</b>  | 1.25h  | 3h     | 20h   |
| <b>RUN TIME (SL-B26):</b> | 1.5h   | 3.5h   | 23h   |

STROBE RUNS 2.5 HOURS (CR123);  
3.25 HOURS (SL-B26)



**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

The ProTac HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A batteries

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 5.46" (13.87 cm)

**WEIGHT:** CR123A - 5.7 oz (162g); SL-B26 - 6.2 oz (176g)

**COLOR:** Black

| ITEM # | DESCRIPTION   |
|--------|---|
| 88065  | PROTAC HL-X - 2 CR123A LITHIUM BATTERIES & HOLSTER        |
| 88085  | PROTAC HL-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER |

## PROTAC® 90 X USB // PROTAC® 90 X USB

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack; also accepts 2 CR123A lithium batteries

**SIZE:** 4.39" (11.1 cm)

**WEIGHT:** SL-B26 - 4.9 oz (139g); CR123A - 4.4 oz (125g)

**COLOR:** Black

| ITEM # | DESCRIPTION   |
|--------|---|
| 88094  | PROTAC 90 X WITH CR123A LITHIUM BATTERIES AND HOLSTER |
| 88095  | PROTAC 90 X USB - SL-B26 BATTERY PACK AND HOLSTER     |



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A batteries



|                           | HIGH  | MEDIUM | LOW |
|---------------------------|-------|--------|-----|
| <b>LUMENS:</b>            | 1,000 | 300    | 65  |
| <b>CANDELA:</b>           | 7,350 | 2,060  | 450 |
| <b>DISTANCE:</b>          | 171m  | 91m    | 42m |
| <b>RUN TIME (CR123):</b>  | 2.5h  | 4h     | 21h |
| <b>RUN TIME (SL-B26):</b> | 1.75h | 4.75h  | 24h |

STROBE RUNS 2.5 HOURS (CR123);  
3.5 HOURS (SL-B26)

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high



# PROTAC® 2.0 **NEW**

|                  | HIGH   | MEDIUM | LOW |
|------------------|--------|--------|-----|
| <b>LUMENS:</b>   | 2,000  | 570    | 100 |
| <b>CANDELA:</b>  | 17,300 | 5,000  | 890 |
| <b>DISTANCE:</b> | 262m   | 142m   | 60m |
| <b>RUN TIME:</b> | 2.5h   | 4.5h   | 25h |

STROBE RUNS 4.25 HOURS



The high performance ProTac 2.0 produces **2,000 lumens** without sacrificing run time. Powered by the new SL-B50® battery pack that charges outside or inside the light using a USB-C cord. IP67 dust-tight and waterproof to 1m for 30 minutes.

**BATTERY:** (1) SL-B50 Li-Ion USB rechargeable battery pack or (2) CR123A lithium  
**SIZE:** 155 mm  
**WEIGHT:** 234g  
**COLOR:** Black



With **[(STROBE)]**  
*Double tap switch to activate*

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



Slide sleeve back to access USB-C port.

SL-B50 battery pack charges in 6 hours.

| ITEM # | DESCRIPTION   |
|--------|---|
| 89000  | PROTAC 2.0 - SL-B50 BATTERY PACK, USB-C CORD, NYLON HOLSTER |
| 22084  | 22" (55.88 CM) USB-C CORD                                   |

# SL-B50® PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK **NEW**

The SL-B50® protected Li-Ion rechargeable battery pack is designed for select Streamlight products. It features a built in USB-C port and charge status indicator; charges in 6 hours.

**BATTERY CAPACITY:** 4900mAh SL-B50 protected Li-Ion USB rechargeable battery pack  
**SIZE:** 3.26" x .905" (8.28 x 2.3 cm)  
**WEIGHT:** 3 oz (85g)



Features integrated USB port.  
 Charge status LEDs:



USB Rechargeable 4900mAh SL-B50 Lithium Ion Battery – Charges in 6 hours.

| ITEM # | DESCRIPTION                                      |
|--------|--|
| 22111  | SL-B50 LI-ION USB RECHARGEABLE BATTERY PACK- 1PK |
| 22112  | SL-B50 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK |
| 22084  | 22" (55.88 CM) USB-C CORD                        |

## DUALIE® 2AA


|                  | SPOT  | FLOOD | COMBO |
|------------------|-------|-------|-------|
| <b>LUMENS:</b>   | 115   | 115   | 175   |
| <b>CANDELA:</b>  | 3,100 | 75    | -     |
| <b>DISTANCE:</b> | 111m  | 17m   | -     |
| <b>RUN TIME:</b> | 24h   | 24h   | 15h   |



Integrated magnet on tail end for hands-free use.

See what's ahead of you and right at your feet with the intrinsically safe Dualie® 2AA. This compact flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. The two beams provide multi-directional lighting to help prevent slips, trips and falls. This flashlight is safety-rated for Class 1, Div. 1 environments and even includes a magnet on the tail end for hands-free use.

**BATTERY:** 2 "AA" alkaline  
**SIZE:** 6.1" (15.5 cm)  
**WEIGHT:** 3.9 oz (111g)  
**COLOR:** Yellow



| ITEM # | DESCRIPTION                                |
|--------|--|
| 67751  | DUALIE 2AA - WITH BATTERIES - BOX - YELLOW |

## DUALIE® RECHARGEABLE

See what's ahead of you and right in front of your feet with the Dualie Rechargeable. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. A magnetic clip also features a hang-hook for methods of hands-free use. Save on battery costs - it's rechargeable! Intrinsically Safe - Class I & II, Div. 1.

**BATTERY:** Lithium ion  
**SIZE:** 7.5" (19.05 cm)  
**WEIGHT:** 7.09 oz (201g)  
**COLOR:** Yellow or Black



| WITHOUT MAGNETIC CLIP | WITH MAGNETIC CLIP | DESCRIPTION                 |
|-----------------------|--------------------|-----------------------------|
| 68732                 | 68793              | 120V/100V AC - BOX - YELLOW |
| 68733                 | 68794              | 120V/100V AC - BOX - BLACK  |
| 68734                 | 68795              | 12V DC - BOX - YELLOW       |
| 68735                 | 68796              | 12V DC - BOX - BLACK        |
| 68730                 | 68785              | LIGHT ONLY - BOX - YELLOW   |
| 68731                 | 68786              | LIGHT ONLY - BOX - BLACK    |



## DUALIE® 3AA

|                  | SPOT  | FLOOD | COMBO |
|------------------|-------|-------|-------|
| <b>LUMENS:</b>   | 140   | 140   | 245   |
| <b>CANDELA:</b>  | 7,300 | 80    | -     |
| <b>DISTANCE:</b> | 171m  | 18m   | -     |
| <b>RUN TIME:</b> | 18h   | 18h   | 9h    |



Features a forward facing spot beam and a downward flood light - use individually or at the same time.

Rugged, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear.



Magnetic clip with integrated hang hook for hands-free use.

See what's ahead of you and right in front of your feet with the Dualie 3AA. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Intrinsically Safe - Class I & II, Div. 1.

**BATTERY:** 3 "AA" alkaline or lithium  
**SIZE:** 7" (17.78 cm); 7.5" (19.05 cm) - Magnetic Clip  
**WEIGHT:** 6.8 oz [193g]; 7.1 oz [201g] - Magnetic Clip  
**COLOR:** Yellow or Black



| ITEM # | DESCRIPTION   |
|--------|---|
| 68751  | DUALIE 3AA - W/O BATTERIES - BOX - YELLOW             |
| 68753  | DUALIE 3AA - W/O BATTERIES - BOX - BLACK              |
| 68782  | DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - YELLOW |
| 68783  | DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - BLACK  |
| 68780  | DUALIE 3AA MAGNET - W/O BATTERIES - BOX - YELLOW      |
| 68781  | DUALIE 3AA MAGNET - W/O BATTERIES - BOX - BLACK       |

|                  | SPOT   | FLOOD   | COMBO  |
|------------------|--------|---------|--------|
| <b>LUMENS:</b>   | 180    | 105     | 275    |
| <b>CANDELA:</b>  | 11,500 | 60      | -      |
| <b>DISTANCE:</b> | 171m   | 18m     | -      |
| <b>RUN TIME:</b> | 7h 15m | 13h 30m | 5h 30m |



Features a forward facing spot beam and a downward flood light - use individually or at the same time.



Rugged, integrated, pocket clip conforms to body of light; grabs onto shirts, pockets and gear.



Magnetic clip with integrated hang hook for hands-free use.



# WATCH YOUR STEP



## DUAL BEAMED LIGHTS FOR SAFER SITES.

Prevent slips, trips and falls with the Dualie® 2AA, Dualie® 3AA and Dualie® Rechargeable. Dual beams illuminate what's in front of you and right at your feet. Dual switches allow you to use beams independently or together. Intrinsically safe and virtually indestructible, the Dualie Series are safety rated for the harshest Class 1, Div. 1 environments.



**DUALIE® 2AA**  
FLOOD + SPOT BEAMS = 175 TOTAL LUMENS



**DUALIE® 3AA**  
FLOOD + SPOT BEAMS = 245 TOTAL LUMENS



**DUALIE® RECHARGEABLE**  
FLOOD + SPOT BEAMS = 275 TOTAL LUMENS



© 2023 STREAMLIGHT, INC. | STREAMLIGHT.COM

## DUALIE ACCESSORIES

| ACCESSORY  | PART # | GOES WITH                                   |
|--|--------|---|
| <br>HELMET MOUNT            | 68085  | DUALIE 3AA, DUALIE RECHARGEABLE             |
| <br>POLYMOUNT KIT           | 68089  | DUALIE 2AA, DUALIE 3AA, DUALIE RECHARGEABLE |
| <br>RUBBER HELMET BAND      | 99075  | DUALIE 2AA, DUALIE 3AA, DUALIE RECHARGEABLE |
| <br>CHARGER                 | 68790  | DUALIE RECHARGEABLE                         |
| <br>BANK CHARGER            | 68789  | DUALIE RECHARGEABLE                         |
| <br>120V USB CHARGE CORD    | 22071  | DUALIE RECHARGEABLE                         |
| <br>22" (55.88 CM) USB CORD | 22081  | DUALIE RECHARGEABLE                         |

THE MOST VERSATILE LANTERN FAMILY  
**FEATURES THE HARDEST**  
**WORKING**  
**SIEGE LANTERN.**



**SUPER SIEGE®**

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! A rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7 waterproof to 1m. It floats.

**BATTERY:** Rechargeable Lithium Ion battery  
**SIZE:** 7.5" (19.05 cm)  
**WEIGHT:** 1 lb. 14 oz (867g)  
**COLOR:** Coyote or Yellow



|                  |       |        |        |
|------------------|-------|--------|--------|
| WHITE            | HIGH  | MEDIUM | LOW    |
| <b>LUMENS:</b>   | 1,100 | 550    | 125    |
| <b>RUN TIME:</b> | 5.75h | 11.5h  | 36.25h |
| RED              | HIGH  | SOS    | LOW    |
| <b>LUMENS:</b>   | 2.7   | 2.7    | 1      |
| <b>RUN TIME:</b> | 140h  | 320h   | 348h   |

With **[(RED SOS)]**  
 Hold on/off button to activate.



**Rechargeable lithium ion battery** supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port



A small dry storage area is provided in the lights base for all your "keep dry" needs



Magnetic Accessory Base

| ITEM # | DESCRIPTION                    |
|--------|--------------------------------|
| 44947  | SUPER SIEGE - 120V AC — COYOTE |
| 44945  | SUPER SIEGE - 120V AC — YELLOW |
| 44909  | 120V AC CHARGE CORD            |
| 44950  | GLARE GUARD™                   |
| 44951  | MAGNETIC BASE - BLACK          |



## SIEGE® X USB

The ultimate rechargeable lantern. This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area as well as a focused beam to light your path. Multiple modes to meet all of your lighting needs plus SOS for emergency signaling. IPX7 waterproof.

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries  
**SIZE:** 4.35" (11.05 cm)  
**WEIGHT:** 7.2 oz (204.12g)  
**COLOR:** Coyote

| ITEM # | DESCRIPTION                                     |
|--------|---|
| 44956  | SIEGE X USB - WITH SL-B26 BATTERY PACK — COYOTE |

| LANTERN          | HIGH | MEDIUM | LOW |
|------------------|------|--------|-----|
| <b>LUMENS:</b>   | 325  | 170    | 30  |
| <b>RUN TIME:</b> | 4.5h | 7.75h  | 25h |

| RED              | HIGH | SOS |
|------------------|------|-----|
| <b>LUMENS:</b>   | 1.6  | 1.6 |
| <b>RUN TIME:</b> | 22h  | 90h |



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A batteries



| FLASHLIGHT       | HIGH  | LOW |
|------------------|-------|-----|
| <b>LUMENS:</b>   | 300   | 40  |
| <b>CANDELA:</b>  | 6,000 | 900 |
| <b>DISTANCE:</b> | 155m  | 60m |
| <b>RUN TIME:</b> | 3.5h  | 25h |

Incorporated flashlight produces 300 lumens



## THE SIEGE®

| WHITE            | HIGH | MEDIUM | LOW  |
|------------------|------|--------|------|
| <b>LUMENS:</b>   | 540  | 275    | 55   |
| <b>RUN TIME:</b> | 30h  | 70h    | 295h |

| RED              | HIGH | SOS  |
|------------------|------|------|
| <b>LUMENS:</b>   | 10   | 10   |
| <b>RUN TIME:</b> | 235h | 430h |

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

**BATTERY:** 3 "D" alkaline  
**SIZE:** 7.25" (18.41 cm)  
**WEIGHT:** 1 lb. 15 oz (878g)  
**COLOR:** Coyote

| ITEM # | DESCRIPTION           |
|--------|-----------------------|
| 44931  | THE SIEGE — COYOTE    |
| 44950  | GLARE GUARD™          |
| 44952  | MAGNETIC BASE - BLACK |



With **[(RED SOS)]**  
Hold on/off button to activate.

Magnetic Accessory Base



Features rugged carry handle and D-rings for hanging



# BEARTRAP®

| FLOOD            | HIGH  | MEDIUM | LOW   |
|------------------|-------|--------|-------|
| <b>LUMENS:</b>   | 2,000 | 1,000  | 575   |
| <b>CANDELA:</b>  | 1,200 | 680    | 360   |
| <b>DISTANCE:</b> | 69m   | 52m    | 38m   |
| <b>RUN TIME:</b> | 2.5h  | 5h     | 8.75h |

| SPOT             | HIGH  | MEDIUM | LOW   |
|------------------|-------|--------|-------|
| <b>LUMENS:</b>   | 1,000 | 450    | 325   |
| <b>CANDELA:</b>  | 7,500 | 3,600  | 2,500 |
| <b>DISTANCE:</b> | 174m  | 120m   | 100m  |
| <b>RUN TIME:</b> | 4.5h  | 8.75h  | 12.5h |



Inspect, identify and repair with the multi-function BearTrap worklight. Experience high power and big performance. It produces bright white light in both spot and flood modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-get-to spaces like under the dash; also features a magnetic base and stowable hook.

Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4 water resistant; 1m impact resistance tested.

**BATTERY:** Lithium Ion  
**SIZE:** 7.62" [19.37 cm]  
**WEIGHT:** 2 lbs. 3 oz [992g]  
**COLOR:** Red




Hands-free applications:  
 1.) Clamps virtually anywhere  
 2.) Magnetic base  
 3.) Hang hook  
 4.) Stands on its own

- 1.) Flood fills your work area with evenly dispersed, bright light
  - 2.) Spot provides a concentrated beam
- Each with high, medium and low modes




Rubberized grip surface - designed to prevent scratches



| ITEM # | DESCRIPTION                    |
|--------|--------------------------------|
| 61520  | BEARTRAP - 120V/100V AC - RED  |
| 44922  | 120V AC CORD                   |
| 44923  | 12V DC CORD                    |
| 61522  | LITHIUM ION BATTERY - BEARTRAP |










# STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a worksite. Our choices of beam types, light output and runtime ensures you'll be able to find exactly the light you need.

|   |   |  |   |
|---|---|--|---|
| <h2>SPOT / FLOOD</h2>   |    | <b>RECHARGEABLE</b>  | <b>NON - RECHARGEABLE</b>   |
| <b>MODELS</b>   |   | USB HAZ-LO Headlamp*<br>Double Clutch USB*<br>Twin-Task USB Headlamp*<br>Enduro Pro USB* | Double Clutch Alkaline *<br>Trident - Div. 2*<br>Enduro Pro<br>Enduro Pro HAZ-LO* |
| <b>KEY ATTRIBUTES:</b><br>Multi-Function<br>Task Lighting<br>General Use<br>Multi-Purpose |   |  |   |
| <h2>FLOOD</h2>  |  | <b>RECHARGEABLE</b>  | <b>NON - RECHARGEABLE</b>   |
| <b>MODELS</b>   |   | ProTac HL USB Headlamp<br>Bandit<br>Bandit Pro<br>ProTac 2.0 Headlamp*                   | Septor - Div. 2*<br>ProTac HL Headlamp*   |
| <b>KEY ATTRIBUTES:</b><br>Arm's Length<br>Task Lighting<br>Wide, Smooth Light             |   |  |   |
| <h2>SPOT</h2>   |  | <b>RECHARGEABLE</b>  | <b>NON - RECHARGEABLE</b>   |
| <b>MODELS</b>   |   | QB*  | Argo - Div. 2*<br>3AA HAZ-LO Headlamp*<br>Enduro*<br>Vantage II                   |
| <b>KEY ATTRIBUTES:</b><br>Down Range<br>Long Distance                                     |   |  |   |
| <h2>SPECIALTY / COLOR LEDs</h2>   |   | <b>RECHARGEABLE</b>  | <b>NON - RECHARGEABLE</b>   |
| <b>MODELS</b>   |   | Bandit*<br>Bandit Pro  | Enduro Pro<br>Green Trident*  |
| <b>KEY ATTRIBUTES:</b><br>Preserve Night Vision<br>Won't Spook Game                       |   |  |   |
| *VISIT STREAMLIGHT.COM FOR MORE INFORMATION   |   |  |   |



## ENDURO® PRO HAZ-LO®



This **LOW-PROFILE HEADLAMP** has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IPX7 waterproof.



Class I, Div. 1,  
Groups A, B, C, D, E, F, G  
Class III, Class I, Zone 0,  
Group IIC Exia, T4



Permissible Flashlight.  
Approval No. 20-A190001-0.  
Tested for Intrinsic Safety in  
Methane-Air mixtures only.

**BATTERY:** 3 "AAA" alkaline (included)  
**WEIGHT:** 3.5 oz (99.2g)  
**COLOR:** Yellow

| ITEM # | DESCRIPTION   |
|--------|---|
| 61424  | WITH ALKALINE BATTERIES, ELASTIC HEADSTRAP, RUBBER HARD HAT STRAP AND 3M® DUAL LOCK® — BOX - YELLOW |

## BANDIT® PRO

|                  | HIGH | LOW |
|------------------|------|-----|
| <b>LUMENS:</b>   | 180  | 35  |
| <b>RUN TIME:</b> | 4.5h | 21h |

EMERGENCY FLASH - 180 LUMENS



Multi-function push-button switch with charge indicator - shines red when charging, green when charged

The Bandit Pro is an ultra-lightweight, weather-resistant headlamp featuring a large, easy-to-use push button and a rechargeable lithium polymer battery. It includes a handy snap-in clip adaptor to attach the Bandit Pro to a pocket or clip it to the visor on a ball cap; it also adds additional downward adjustability. High, low and emergency flash modes.

### Two hard hat mounting options:

Rubber strap

3M® Dual Lock®  
reclosable fasteners



**BATTERY:** Rechargeable lithium polymer  
**WEIGHT:** 1.6 oz (45.4g)  
**COLOR:** Yellow

| ITEM # | DESCRIPTION  |
|--------|--|
| 61716  | BANDIT PRO - INCLUDES USB CORD, RUBBER HARD HAT STRAP AND 3M DUAL® LOCK® FASTENERS - YELLOW                      |
| 61437  | HARD HAT CLIPS FOR 1" STRAPS  |

|                  | SPOT  | FLOOD | COMBO |
|------------------|-------|-------|-------|
| <b>LUMENS:</b>   | 160   | 160   | 235   |
| <b>CANDELA:</b>  | 1,320 | 100   | -     |
| <b>DISTANCE:</b> | 73m   | 20m   | -     |
| <b>RUN TIME:</b> | 5h    | 5h    | 4.75H |



### Two hardhat mounting options:

Rubber strap

3M® Dual Lock®  
for strapless mounting



## ENDURO® PRO

| SPOT             | HIGH  | MEDIUM | LOW |
|------------------|-------|--------|-----|
| <b>LUMENS:</b>   | 200   | 75     | 25  |
| <b>CANDELA:</b>  | 2,250 | 825    | 300 |
| <b>DISTANCE:</b> | 95m   | 57m    | 35m |
| <b>RUN TIME:</b> | 6h    | 14h    | 38h |



| FLOOD            | HIGH | MEDIUM | LOW |
|------------------|------|--------|-----|
| <b>LUMENS:</b>   | 135  | 45     | 15  |
| <b>CANDELA:</b>  | 210  | 80     | 20  |
| <b>DISTANCE:</b> | 29m  | 18m    | 9m  |
| <b>RUN TIME:</b> | 6h   | 14h    | 38h |

This low-profile headlamp features multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. IPX4 water-resistant.

### Two hard hat mounting options:

Rubber strap

3M® Dual Lock®  
reclosable fasteners



**BATTERY:** 3 "AAA" alkaline (included) or lithium  
**WEIGHT:** 3.4 oz (96.35g)  
**COLOR:** Yellow

| ITEM # | DESCRIPTION  |
|--------|--|
| 61422  | ENDURO PRO - INCLUDES ALKALINE BATTERIES, RUBBER HARD HAT STRAP AND 3M DUAL® LOCK® FASTENERS - YELLOW              |
| 61437  | HARD HAT CLIPS FOR 1" STRAPS  |



**#STREAMLIGHTSTRONG**



**Streamlight, Inc.  
30 Eagleville Road  
Eagleville, PA U.S.A 19403-3996**

**streamlight.com // streamlightgear.com  
(800) 523-7488 Toll-Free  
(800) 220-7007 Fax  
(610) 631-0600  
(610) 631-0712 Fax**

Distributed by: